

**To:** Patel, Suhasini@DTSC[Suhasini.Patel@dtsc.ca.gov]  
**Cc:** Serda, Sophia[Serda.Sophia@epa.gov]; Meer, Daniel[Meer.Daniel@epa.gov]  
**From:** Reyes, Deldi  
**Sent:** Wed 12/2/2015 6:21:26 PM  
**Subject:** Re: Sampling for Lead in Residential soil, Exide

Hi, Su, I hope you're doing well. I'll be seeing you all tomorrow at this month's Exide meeting. I wanted to make sure we didn't miss anything in your request below for a review by EPA of the lead sampling plan.

Deldi

---

**From:** Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>  
**Sent:** Monday, November 2, 2015 4:30 PM  
**To:** Reyes, Deldi  
**Cc:** Serda, Sophia; Meer, Daniel  
**Subject:** RE: Sampling for Lead in Residential soil, Exide

Thank you Deldi!

The Draft SAP is being reviewed/edited internally and should be ready sometime early next week. I will send it to you and Dan as soon as we have one that everyone agrees on.

Su

**From:** Reyes, Deldi [mailto:Reyes.Deldi@epa.gov]  
**Sent:** Wednesday, October 28, 2015 8:58 PM  
**To:** Patel, Suhasini@DTSC <Suhasini.Patel@dtsc.ca.gov>  
**Cc:** Serda, Sophia <Serda.Sophia@epa.gov>; Meer, Daniel <Meer.Daniel@epa.gov>  
**Subject:** Re: Sampling for Lead in Residential soil, Exide

Su, please send Dan Meer the sampling plan and he will make sure it will be reviewed by the right person. Dan is cc'd here.

Sent from my iPhone

On Oct 27, 2015, at 3:27 PM, Patel, Suhasini@DTSC <[Suhasini.Patel@dtsc.ca.gov](mailto:Suhasini.Patel@dtsc.ca.gov)> wrote:

Hi Sophia and Deldi,

I am looking for either one of you to help me get someone to talk to about our sampling plan for lead contamination in residential yards in Exide's neighborhood in Vernon CA. We are presenting our proposed plan to the community tomorrow and wanted some outside feedback.

Please let me know if you can identify that person for me. Tomorrow I will be travelling to LA but can be reached at 916-792-9400 [my cell phone].

Thank you

Su

**Suhasini Patel**

Department Of Toxic Substances Control

Hazardous Waste Management Program

Phone: (916) 323-3513 or 255-6530